

# Rising from the East create the future with intelligence



**SDLANCH INTELLIGENT CO., LTD**  
TEL:+86 195 6301 4558  
E-mail:info@ sdlanch.com  
Website:www.sdlanch.com

official website

## WHO WE ARE

We uphold the core values of "integrity and diligence, customer first, pursuit of excellence", and adhere to the mission of "SDLANCH: Rising from the East, create the future with intelligence".

We drive innovation through flat management and unite our team through humanistic care. Currently, we focus on the intelligent R&D and manufacturing of mini construction machinery; looking ahead, we are committed to becoming a global pioneer in intelligent manufacturing innovation.

We are eager to partner with global collaborators, empower product upgrades with smart technology, consolidate cooperation with our core strengths, and jointly explore new horizons in the global market.



### MINI MACHINERY

Scenario: Suitable for working in confined spaces

Value: Covers all scenarios including construction, transportation, and site maintenance



### OUTDOOR RECREATION

Scenario: Outdoor entertainment and lifestyle

Value: Covers both leisure equipment and practical facilities



### VEHICLE MAINTENANCE EQUIPMENT

Scenario: Vehicle repair and maintenance

Value: Standardized vehicle inspection tools



### EQUIPMENT STORAGE AND LIVESTOCK BREEDING

Scenario: Versatile and easy to place

Value: Can be used as a warehouse or a livestock shed



## COMPANY OVERVIEW

Since 2016, it has been a high-tech innovative enterprise integrating research and development, production and sales.

## GLOBALIZATION

Overseas offices and regional warehouses have been established in multiple locations including the United States, Russia, the United Kingdom, Spain, Australia, South Korea, and Saudi Arabia.

## MARKET

Certified by authoritative bodies such as ISO9001, EPA, and CE, with over 1,000 SKUs exported to 170 countries and regions.

## HARDWARE CAPABILITY

The factory covers 105,000 square meters and is equipped with an R&D center, production facilities, and a professional team.



**GARAGE TENT****SDL1220GMLS**

Material: Galvanized Metal  
Normal size: 12\*20\*7(FT)  
Can be used as a cowshed or pigsty

**SDL1220FT**

Material: Galvanized steel  
Normal size: 12\*20\*7(FT)  
Can be used as a garage

**SDL2020FT**

Material: Galvanized Metal  
Normal size: 20\*20\*7(FT)  
Can be used as an outdoor rain and sun shelter

**SDL2030FT**

Material: All Steel  
Normal size: 20\*30\*12(FT)  
Can be used as a garage; with windproof curtains, it can be used as a house

**SDLG**

Size: 4200\*5800mm  
Material: Iron  
Strong corrosion resistance

**BAODING JIA SERIES****SDLSC**

Weight: 1100kg  
Dimensions: 3500\*1500\*2400mm  
Quietly guides livestock forward

**DRONE****SDLD8100P**

Rated load: 50kg  
Overall size: 1725\*1755\*1075mm  
Empty aircraft weight: 35kg

**SDLJTIM200T**

Maximum take-off weight: 150kg  
Total body length: 3400mm  
Maximum flight altitude: 500m

**SDLJTIM60Q**

Overall machine weight (empty, without battery): 28kg  
Boundary dimension: 2885\*2885\*790mm  
Spray array: 6-10m

**SDLY45**

Flight height: 5000m  
Length and height: 2905\*930mm  
Maximum range: 1000km

**SDLJTIM50S**

Maximum working flow: 10L/min  
Boundary dimension: 2250\*2020\*750mm  
Spray array: 4-8m

**SAFETY CONE****SDLS50**

High-visibility reflective film  
Widened base design  
Customizable

**GROUND PROTECTION MAT SERIES****SDLFP**

Specifications and dimensions can be customized  
Insulating and anti-corrosive  
Waterproof and oil-resistant

**MASSAGE CHAIR****SDLMC-10**

Gross/Net weight: 66/77kg  
Overall dimensions: 145\*75\*103.5cm  
Entrance size: 76\*104cm

**SDLMC-S1**

Gross/Net weight: 69/79kg  
Overall dimensions: 145\*75\*103.5cm  
Entrance size: 76\*104cm

**EXCAVATOR ATTACHMENTS****01**

Rake

**SKID-STEER LOADER ATTACHMENT****01**

Snow shovel

**02**

Hydraulic thumb clamp

**02**

Reaper-type mower

**03**

Hydraulic hammer

**03**

Cargo fork

**04**

Twist drill

**04**

Leveling device

**05**

Gripper

**05**

Rock bucket

**06**

Angle sweeper

**06**

20cm Toothed Shovel Bucket

**07**

Toothless Shovel Bucket

**07**

Tractor

**SDIANCH**

DUAL ASSURANCE OF POWER AND ENDURANCE

# GOLF CART

**SMART TECHNOLOGY****EASY TO USE SAFE AND WORRY-FREE**

Long battery life



Maximum Climbing Degree



Comfortable to sit



Generous with ingredients

**MINI EXCAVATOR****SDL20-1.0T**

Engine: Kubota/Yanmar

Overall Vehicle:2925\*1100\*2422mm

Bucket Capacity: 0.03 m<sup>3</sup>**SDL25-1.5T**

Engine: Kubota/Yanmar

Overall Vehicle:2925\*1100\*2422mm

Bucket Capacity: 0.03 m<sup>3</sup>**SDL26-2T**

Engine: Lai Dong/Yanmar

Overall Vehicle:3600\*1060\*2200mm

Bucket Capacity: 0.06m<sup>3</sup>**SDL30-2.5T**

Engine: Changchai390/Yanmar

Overall Vehicle:3966\*1350\*2280mm

Bucket Capacity: 0.07m<sup>3</sup>**SDL36-3T**

Engine: Changchai390/Yanmar

Overall Vehicle:4180\*1350\*2250mm

Bucket Capacity: 0.1m<sup>3</sup>**SDL46-3.5T**

Engine: Kubota/Yanmar

Overall Vehicle:4945\*1700\*2585mm

Bucket Capacity: 0.11m<sup>3</sup>**SKID-STEER LOADER****SDL10-890KG**

Engine: RunTong

Overall Vehicle:2100\*1880mm

Bucket Capacity: 0.15m<sup>3</sup>**SDL35-2400KG**

Engine: RunTong 825D

Overall Vehicle:2925\*1100\*2422mm

Bucket Capacity: 0.03 m<sup>3</sup>**SDL45T-2700KG**

Engine: RunTong 825D

Overall Vehicle:3600\*1060\*2200mm

Bucket Capacity: 0.06m<sup>3</sup>**SDL65C-3800KG**

Engine:RunTong 825D

Overall Vehicle:3966\*1350\*2270mm

Bucket Capacity: 0.5m<sup>3</sup>**SDL15-1400KG**

Engine: Briggs/Strauton

Overall Vehicle:2270\*1105\*1200mm

Rear Bucket Volume: 1500kg

**SDL35-3000KG**

Engine: Briggs/Stratton

Overall Vehicle:3350\*1600\*1550mm

Rear Bucket Volume: 3000kg

**GOLF CART****SDLGC-2+2 SEATS**

Battery: Lithium iron phosphate /lead-acid battery

Motor: Huakong

Bucket Capacity: 0.15m<sup>3</sup>**SDLGC-6 SEATS**

Battery: Lead-Acid / lithium-ion

Motor: Huakong

Bucket Capacity: 0.18m<sup>3</sup>**SDLGB-2+2 SEATS**

Battery: Lead-Acid / lithium-ion

Motor: AC,4KW

Battery Endurance Time: 100km

**SDLGA-2 SEATS**

Battery: Lead-Acid / lithium-ion

Motor: AC,3.5KW

Battery power: 60V100AH

**SDLGC-4+2 SEATS**

Battery: Lead-Acid / lithium-ion

Motor: Huakong

Battery Endurance Time: 100km

**SDLGB-2 SEATS**

Battery: Lead-Acid / lithium-ion

Motor: AC,4KW

Battery power: 60V100A

**SDL650**

Battery: Lead-Acid / lithium-ion

Motor: 650W Motor

Overall Dimensions: 1850\*920\*1650mm

Optional Battery: 48V60V/72V

**SDL650**

Battery: Lead-Acid / lithium-ion

Motor: AC,4KW

Battery power: 48V150AH

**SDL650**

Battery: Lead-Acid / lithium-ion

Motor: AC,4KW

Battery power: 48V150AH

**SDL650**

Battery: Lead-Acid / lithium-ion

Motor: AC,4KW

Battery power: 48V150AH

**SDL650**

Battery: Lead-Acid / lithium-ion

Motor: Huakong

Battery Endurance Time: 100km

**SDL650**

Battery: Lead-Acid / lithium-ion

Motor: AC,4KW

Battery power: 48V150AH

**SDLM20**

Engine: RunTong225

Cutting Height/Width:700mm/500mm

Battery life: 3-4h

**SDLM20**

Engine: RunTong225

Hydraulic lifting motor: 3000W AC motor

Vehicle weight:2600kg

**SDLM60**

Engine: RunTong225

Cutting Height/Width:10-200mm/600mm

Machine weight:150kg

**SDLW2000**

Power voltage:220v/50Hz

Outer packing size:970\*700\*1115mm

Dry Weight: 225kg

**SDLW600**

Engine: 48V Lead-Acid Battery


Lifting Height:150cm

Volume:0.877m<sup>3</sup>**SDLUTV-200**

Overall Vehicle: 2281\*1588\*1460mm

Engine Type:Four Stroke,Single Cylinder

Dry Weight: 225kg

**SDLUTV-200**

Overall Vehicle: 2450\*1220\*1530mm

Drive System Type: 2WD

Weight with full Equipments: 283kg

**SDLUTV-450D**

Overall Vehicle: 3300\*1440\*1980mm

Drive Mode: 4WD

Weight with full Equipments: 595kg

**SDLUTV-450D**

ZY-12 control valve(50L/min flow)

11KW R500D-V2engine reliable power


Industrial-grade components for heavy-duty crushing

**SDLUTV-450D**

Intelligent voice control

Standard aluminum alloy shell

Working mass:1200kg

**SDLUTV-450D**

Sheet Metal Gauge: 26 Gauge

Overall dimension:45FTx36FTx13FT

Advanced smart connecting brackets easy for installation

**SDLF20**

Maximum lifting weight:2000kg

Lifting Height:700mm

Vehicle weight:2600kg

**SDLF20**

Engine: 48V Lead-Acid Battery

Lifting Height:105cm


Lifting Capacity: 300kg

**SDLT300-300KG**

Storage capacity:Approx 850sq.ft.

Overall dimension: 33FTx 25FTx 14FT

Main frame: 14 Gauge Typically 2.3" Square Tube

**SDLT300-300KG</b**

**SDLANCH**



**SDLANCH**

**SDLANCH**



**SDLANCH**



# PRODUCTS

SDLANCH

PRODUCT CATEGORY	HOT-SELLING
MINI CONSTRUCTION MACHINERY	MINI EXCAVATOR
OUTDOOR LEISURE	2+2 GOLF CART
VEHICLE MAINTENANCE EQUIPMENT	TWO-POST LIFT
ANIMAL HUSBANDRY AND LANDSCAPING	GIANT TENT



## **SDLGC(2+2)4 SEATS**

Vehicle size:	2500*1280*2000(mm)
Minimum ground clearance:	240(mm)
Wheelbase:	1680(mm)
Front wheelbase:	720(mm)
Rear wheelbase:	820(mm)

## **THE KEY COMPONENTS**

Chassis:	High strength carbon steel
Battery:	72V 105AH(lithium)
Motor:	AC,4KW
controller:	Huakong Intelligent controller

## **PARAMETERS**

Passenger capacity:	4
Range (based on top speed):	>100KM
Top speed(Adjustable):	40km/h
Maximum Climbing Degree:	25%
Vehicle steering system:	Self-adjusting rack and pinion
Braking system:	Four-wheel disc brakes + hydraulic brakes
Tires:	12inch
The color of car:	All regular colors available

## **SDLGC(4+2)6SEATS**

Vehicle size:	3650*1280*2000(mm)
Minimum ground clearance:	240(mm)
Wheelbase:	2460(mm)
Front wheelbase:	720(mm)
Rear wheelbase:	820(mm)

## **THE KEY COMPONENTS**

Chassis:	High strength carbon steel
Battery:	72V 105AH(lithium)
Motor:	AC,4KW
controller:	Huakong Intelligent controller

## **PARAMETERS**

Passenger capacity:	6
Range (based on top speed):	>100KM
Top speed(Adjustable):	40km/h
Maximum Climbing Degree:	25%
Vehicle steering system:	Self-adjusting rack and pinion
Brake system:	Four-wheel disc brakes + hydraulic brakes
Tires:	14inch
The color of car:	All regular colors available