

# SDLANCH INTELLIGENT CO LTD

Phone:0537-3162017  
E-mail:info@sdlanch.com  
Website:www.sdlanch.com



# Container House



# COMPANY PROFILE

## SDLANCH INTELLIGENT CO., LTD

Since 2016 and is located on the first floor of an office building in Huangtun Street, Guangan Road, High-tech Zone, Jining City, Shandong Province. It is a high-tech innovative enterprise integrating research and development, production and sales. Up to now, it has set up offices and regional overseas warehouses in the United States, Russia, the United Kingdom, Spain, Australia, South Korea, Saudi Arabia and other places.

The total area of the factory is 105,000 square meters. It has 2 R&D centers, 3 independent factories, 9 standard workshops, and 700 employees with degrees ranging from PhDs to Masters and Bachelors. Among them, there are 100+ senior technicians, 30+ R&D engineers, and 20+ senior engineers. The company holds the "ISO:9001 Quality Management System Certification" and international authoritative third-party certifications such as the US EPA, EU CE, Euro-V, and SGS. The company has over 1,000 SKUs and its products are exported to 170 countries and regions.

## CONTENTS

Product Introduction	01
SDL10FTContainer House	03
SDL11FTContainer House	05
SDL12FTContainer House	07

# MATRYOSHKA CONTAINER

In the field of global logistics and international trade, the space utilization rate of containers and the cost of empty container returns directly determine logistics efficiency and company profits.

Nesting containers, also known as nested containers, rely on size-matching design and standardized structural innovations akin to Russian nesting dolls, breaking the bottleneck of traditional container empty transport which occupies large spaces and incurs high transfer costs.

At the same time, they are compatible with existing intermodal transport systems, making them a core choice for foreign trade companies, logistics service providers, and port operators to reduce costs, and they are widely suited for the transportation needs of various goods such as cross-border e-commerce, automotive parts, and electronic products.



## PRODUCT FEATURES

01

### CORE DESIGN:

The perfect integration of nested structures and standard systems.

02

### FULL-LINK STANDARDIZED ADAPTATION:

Completely solve the pain points of non-standard small-sized containers being 'unable to transfer between sea and land, and difficult to stack and store'.

03

### IMPROVEMENT IN LOADING AND UNLOADING EFFICIENCY:

Relying on the standard angle fittings and built-in roller design, the lifting of the mother box and the placing of the sub-box can be completed quickly.

04

### FLEXIBLE REUSE IN MULTIPLE SCENARIOS:

The mother box can be used independently for loading large goods (such as machinery), while the sub-box is suitable for medium and small batch goods (such as electronic products, automotive parts), and after splitting, it can meet the delivery needs of 'one main and multiple branches'.

# SDL10FT



## TECHNICAL PARAMETERS



### SDL10FT

Outer dimension length	3150	(mm)
Outer width	1845	(mm)
Outer dimension height	2002	(mm)
Internal dimensions length	3000	(mm)
Internal width	1759	(mm)
Internal height	1834	(mm)
Door width	1751	(mm)
The door is high	1770	(mm)
Total weight	3500	(kg)
Self-respect	850	(kg)
Load capacity	2650	(kg)
Side door dimensions	1704*814	(mm)
Side window size	855*855	(mm)

## PRODUCT DETAILS



# SDL11FT



## TECHNICAL PARAMETERS



### SDL11FT

Outer dimension length	3404	(mm)
Outer width	2035	(mm)
Outer dimension height	2256	(mm)
Internal dimensions length	3254	(mm)
Internal width	1949	(mm)
Internal height	2088	(mm)
Door width	1941	(mm)
The door is high	2024	(mm)
Total weight	4000	(kg)
Self-respect	1050	(kg)
Load capacity	2950	(kg)
Side door dimensions	1958*814	(mm)
Side window size	855*855	(mm)

## PRODUCT DETAILS



# SDL12FT



## TECHNICAL PARAMETERS



### SDL12FT

Outer dimension length	2658	(mm)
Outer width	2230	(mm)
Outer dimension height	2510	(mm)
Internal dimensions length	3508	(mm)
Internal width	2144	(mm)
Internal height	2342	(mm)
Door width	2136	(mm)
The door is high	2278	(mm)
Total weight	4500	(kg)
Self-respect	1200	(kg)
Load capacity	3300	(kg)
Side door dimensions	1958*814	(mm)
Side window size	855*855	(mm)

## PRODUCT DETAILS

